

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Hoboken Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	55	33	0	0	55	33
AIDS-CD4 Only	#	#	#	#	50	30
HIV Only	#	#	#	#	62	37
-----	-----	---	-----	---	-----	---
Total	166	100	#	#	167	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	65	39	0	0	65	39
5-12	#	#	Black, Not Hispanic	19	11	0	0	19	11
13-19	#	#	Hispanic	#	#	#	#	79	47
20-29	0	0	Other/Unknown	#	#	#	#	#	#
30-39	41	25	-----	-----	---	-----	---	-----	---
40-49	79	47	Total	166	100	#	#	167	100
50+	44	26							
Unk.	0	0							
-----	-----	---							
Total	167	100							

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	60	48	0	0	60	37
Injection drug user (IDU)	34	27	14	35	48	29
MSM/IDU	5	4	0	0	5	3
Heterosexual contact	5	4	16	40	21	13
Risk not reported/other***	20	16	10	25	30	18
-----	-----	---	-----	---	-----	---
Total	124	100	40	100	164	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** # patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Hoboken Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	132	(35)	104 (79)	0	(0)	0 (.)	132	(35)
Other OI w/o PCP	#	(#)	# (#)	#	(#)	# (#)	140	(37)
KS Alone	#	(#)	# (#)	#	(#)	# (#)	16	(4)
No Disease Listed	93	(25)	43 (49)	0	(0)	0 (.)	93	(24)
Total	376	(100)	273 (74)	5	(100)	# (#)	381	(100)

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl* Cases	%	Pediatric* Cases	%	Total Cases	%
Under 5	#	#	White, Not Hispanic	#	#	#	#	163	43
5-12	#	#	Black, Not Hispanic	42	11	0	0	42	11
13-19	#	#	Hispanic	#	#	#	#	173	45
20-29	55	14	Other/Unknown	#	#	#	#	#	#
30-39	182	48	-----	-----	-----	-----	-----	-----	-----
40-49	98	26	Total	376	100	5	100	381	100
Over 49	38	10							
Unknown	0	0							
Total	381	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	129	43	0	0	129	34
Injection drug user (IDU)	128	43	34	45	162	43
MSM/IDU	10	3	0	0	10	3
Heterosexual contact	8	3	32	42	40	11
Risk not reported/other***	25	8	10	13	35	9
Total	300	100	76	100	376	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	5	100
Risk not reported/other***	0	0	0	0	0	0
Total	#	#	#	#	5	100

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Hoboken Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	11	11	100%
1985	10	9	90%
1986	33	27	82%
1987	22	20	91%
1988	24	22	92%
1989	23	19	83%
1990	25	23	92%
1991	34	30	88%
1992	26	22	85%
1993	42	30	71%
1994	41	27	66%
1995	21	12	57%
1996	17	8	47%
1997	14	7	50%
1998	7	#	#
1999	10	#	#
2000	6	#	#
2001	6	#	#
2002	6	0	0%
2003	#	#	#
-----	-----	-----	-----
Total	381	276	72%

New Jersey Division of HIV/AIDS Services
HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004
Hoboken Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	-----	---		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	29	36	0	0	29	36
5-12	#	#	Black, Not Hispanic	#	#	#	#	10	12
13-19	0	0	Hispanic	#	#	#	#	40	49
20-29	18	22	Other/Unknown	#	#	#	#	#	#
30-39	38	46	-----	-----	---	-----	---	-----	---
40-49	17	21	Total	80	100	#	#	82	100
Over 49	7	9							
Unknown	0	0							
-----	-----	---							
Total	82	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	17	29	0	0	17	21
Injection drug user (IDU)	17	29	6	27	23	29
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	19	33	8	36	27	34
-----	-----	---	-----	---	-----	---
Total	58	100	22	100	80	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Hoboken Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	288	62
AIDS-CD4 Only	93	20	0	0	93	20
HIV Only	#	#	#	#	82	18
-----	-----	---	-----	---	-----	---
Total	456	100	7	100	463	100

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	5	1	White, Not Hispanic	#	#	#	#	192	41
5-12	#	#	Black, Not Hispanic	#	#	#	#	52	11
13-19	#	#	Hispanic	#	#	#	#	213	46
20-29	82	18	Other/Unknown	6	1	0	0	6	1
30-39	224	48	-----	-----	---	-----	---	-----	---
40-49	103	22	Total	456	100	7	100	463	100
Over 49	44	10							
Unknown	0	0							
-----	-----	---							
Total	463	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	146	41	0	0	146	32
Injection drug user (IDU)	145	41	40	41	185	41
MSM/IDU	12	3	0	0	12	3
Heterosexual contact	11	3	40	41	51	11
Risk not reported/other***	44	12	18	18	62	14
-----	-----	---	-----	---	-----	---
Total	358	100	98	100	456	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	7	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	7	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Hoboken Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	11	11	100%
1985	13	11	85%
1986	37	31	84%
1987	31	28	90%
1988	36	30	83%
1989	32	26	81%
1990	37	32	86%
1991	35	30	86%
1992	31	19	61%
1993	39	23	59%
1994	39	17	44%
1995	29	16	55%
1996	22	6	27%
1997	14	6	43%
1998	11	#	#
1999	14	5	36%
2000	16	#	#
2001	7	0	0%
2002	#	#	#
2003	5	0	0%
-----	-----	-----	-----
Total	463	296	64%